Kem Canada Mfg



1875 Drew Rd, Mississauga Ontario L5S 1J5

Telephone: (905) 456-9444
Fax: (905) 456-9447
Web: www.kemmfg.com



CONTENTS

Agri-food	•••••	1, 2
Carpet Cleaning	•••••	3
Cleaner	•••••	4, 5
Coatings - Specialty	•••••	6
Construction Products	•••••	7
Degreasers - Water Based	•••••	8
Disinfectant - Sanitizers	•••••	9, 10
Electrical Products	•••••	11
Environmental Remediation	•••••	12
Floor Care - Commercial	•••••	13
Floor Care - Industrial	•••••	14
Insecticides	•••••	15
Lubricants - Gears	•••••	16
Lubricants - Grease	•••••	17
Lubricants - Hydraulics Compressors	•••••	18
Lubricants - Machine Oils	•••••	19
Odour Control	•••••	20, 21
Plumbing - Sewage Systems	•••••	22
Shop Supplies	•••••	23, 24
Soaps	•••••	25
Solvents - Industrial	•••••	26
Solvents - Environmental	•••••	27
Transportation	•••••	28
Washroom Sundries	•••••	29
Water Treatment - Boilers	•••••	30, 31
Water Treatment - Cooling Systems	•••••	32
Water Treatment - Closed Systems	•••••	33
Water Treatment - System Sundries	•••••	34

Kem's food processing area products are designed for performance, efficiency and safety. Hoods, stoves, ovens, kettles, tanks, freezers, homogenizers, clarifiers, tools, equipment and utensils, all require specific chemistries. Whether the food is processed in a registered establishment, hotel, motel, school or restaurant, **Kem's** lineup of food area chemicals are true problem solvers.

BLAST II *

(degreaser and renovator) 10

Blast is specifically formulated to quickly remove food, fats and grease deposits from ovens, ranges, deep fat fryers, hoods and filters in areas where food is processed. Can be used on warm-hot ovens and ranges. Eliminates scrubbing and abrasive pads. Purple alkaline liquid, mild odour.

BOIL-OUT CPD * (TRP 726)

(powder boil out)

A powdered, alkaline compound, designed to penetrate, solubilize and remove grease, oils, fats, proteins and organics commonly found as residuals in vats, cookers, blenders and other food processing machinery.

COLD ROOM CLEANER* (TRL 150)

(sub zero cleaner)

A specialty water based solvent cleaner/degreaser designed for sub zero temperatures. Removes cold solidified grease, dirt, grime and sludges from freezers and refridgerated trailers. Effective to - 40C. Clear liquid, sharp citrus odour.


6150

1350

GENTLE *

(hand dish & pan wash)

Dishwashing liquid with hard water control agents, for washing pots, pans, dishes and glassware. It is effective through a wide range of water hardness. Leaves no harsh residues and mild on the hands. Lotionizing agents help replace natural skin oils. Pink, sudsy, lemon odour liquid detergent.




G.P. POWDER "Super Grade"*

(cleaning powder TRP 15)

6015

A mild, all purpose cleaning power that readily activates with water. Effective on equipment and tools that conventional cleaners and strippers damage. Free flowing, off white powder.



GREASE GO *

(grill & fryer stripper)


1392

A thickened caustic based cleaner is used to clean baked on carbon and grease from ovens, grills, BBQs, fryers and baking pans. The powerful chemical action replaces hours of scrubbing. Non flammable, clinging, very viscous, opaque white caustic liquid.

LACTOSOLV *

(milk-scale remover/delimer) 239

Specially designed to remove milk stone, rust and scale build up in milk, butter and cheese processing Specially formulated to deal with large plants. Used on pasteurizers, homogenizers and clarifiers and other dairy equipment. Water soluble, non flammable, biodegradable, pink liquid renovator.







K.O.K *

(aerosol industrial oven cleaner) 2280

KOK is a deep penetrating oven renovator that is ideal for use in establishments that maintain stoves and ovens, such as commercial kitchens, hotels, schools etc. Spray and allow to penetrate - can beleft until the next day. Light foaming penetrating aerosol.

MIROKEM *

(auto dish wash)

A heavily concentrated automatic dishwasher liquid designed with a no foam base. Mirokem cuts Through stubborn dried and greasy food soils, rinses freely and thoroughly, without streaking. Industrial concentrate is highly economical and reduces manual scraping and cleaning. Amber concentrated liquid.

OXYGENATED CLEANER *

(cleaner-destainer)

610

2385

A specialty cleaning powder that releases the power of oxygen onto surfaces that it is applied. Cleans, destains, whitens, brightens and sanitizes in one step. Ideal for removal of caffeine, tannins, organics, oils, wines, juices etc. Accelerates with hot water. White, odourless concentrated powder.

POULTRY SCALD ADDITIVE *

(processing agent TRL 19)

6019


A specialty wetting and penetrating agent designed to loosen follicles to speed up feather removal in poultry processing lines. Greatly reduces manual labour in plucking. Added directly to scald tank. Light amber concentrated liquid, very mild odour.

SCALZOFF *

(dishwasher descaler)

265

A single cycle, stand-alone additive to automatic dishwashers to remove energy robbing scale, iron and sludge build ups. Reduces spotting and precipitation. Colour coded indicator changes when spent. Red, semi-viscous liquid, mild acidic odour.





SPRINSE *

(rinse agent)

2742

Sprinse is a super concentrated rinse agent for dish washers and glass cleaning machines. The special formula guarantees spot free drying for glasses, dishes and silverware. It works effectively in hard or soft water, and won't leave a residual odoour or taste. Yellow-straw coloured neutral liquid.

S.S. & AL CLNR *

(stainless steel-aluminum)

6038

A heavy duty safety acid designed to clean, brighten, descale, delime and derust aluminum and stainless steel equipment, machinery and surfaces. Special wetting agents penetrate deep and provide surface coverage when diluted with water. Fast acting. clear concentrated liquid, mild acidic odour.

TRIPE CLEANER *

(process cleaning powder)

6012

A processing additive designed for mechanical wash systems in the tripe production line. Added directly to the wash cycle, it assists in the removal of unwanted organics and bile, speeding up the process cycle and Reduces the number of cycles required. Off white concentrated powder, negligible odour.

Zip *

(glass dish wash)

2910

A high sudsing, ultra gentle lotionized hand dishwash agent. Film free even in hard water. Lotion agents Maintain softness of the hands. Ultra concentrate, suds last a long time. Blueish liquid lotion, mild fragrance.

SMOKEHOUSE CLNR *

(alkaline h.d. powder)

6017


A heavy duty alkaline degreasing - cleaning powder, that quickly cuts through severefood oils and greases. Highly effective in smokehouse operations as well as a super product for powdered floor degreasing. The alkalinities and solubilizers react quickly in hot or cold hard or soft water dilutions. White concentrate powder, negligible odour.











Kem carpet care products restore original colour and beauty to upholstery and carpeting. The highly concentrated formulas deeply clean soiled carpet fibres without the worry of shrinkage.

Local spooting is easily removed with Kem's specially designed spot eradicator products.

KEM-O-FOAM

(carpet shampoo)

1595

A rotary type synthetic detergent carpet shampoo suitable for commercial and institutional establishments. Quickly penetrates deeply to remove dirt and stains to restore original colour and beauty.

CARPET EXTRACTOR H.D.

(extraction detergent)

1015

A heavy duty extractor detergent designed to solubilize embeded grease and grime from commercial carpeting. Highly concentrated formula.

CARPET STEAM CLEANER

(steam cleaner)

A heavy duty steam cleaning detergent designed steam machine cleaning of carpets and rugs. Non shrinkage formula. Seals fibres against resoiling.

SPOT GO

(aerosol) 2727

A spot eradicator for most types of natural and synthetic carpets. Solvent free formual for locations demanding solvent-free products. Used as a prespotter.

SPOT SOLVE

(aerosol) 2735

A spot eradicator for all types of natural and synthetic carpets. Designed to remove 90% of all fresh stains in carpets such as gum, grease, lipstick, fresh paint etc.

ANTI-FOAM

(**defoamer TRL 166**) 6166

A concentrated aqueous liquid silicone defoamer designed to instantly eliminate foam problems in carpet cleaning systems. Non solvent based. Non staining.

ANTI-STATIC

(aerosol TRB 588) 6588

An aerosol spray treatment designed to reduce static charge build-up in low humidity areas. Easy to apply. Pleasant fragranced.



ANTI-BROWING AGENT

(powder) 1036

A highly active anti-browning agent in powdered form. Activates when mixed with warm water. Removes stains. May be used in rinse cycle for optical brightening.

CARPET SCENT

(powder)

1101

A light powder in shaker packaging designed for sprinkling across carpeting and rugs prior to vacuuming. Non staining. Imparts a fresh clean fragrance to carpeting and rugs.



Cleaners

Cleaning different surfaces is a demandingtask that dictates the use of specialty chemical solutions. **Kem**'s cleaners are designed to meet the needs of industry. Selections from free rinse, neutral pH's, to penetrating foam action based products to surface-soil specific solutions yield professional results from economical and versatile products.

COILEX

(free rinse coil cleaner)

A cooler and chiller coil cleaner with an automatic rinse formula. Flushes away efficiency robbing particulates, such as soil, grease, lint, and tobacco film accumulations. It cleans coils and permanent filters without leaving a residue. Reduces filter odours and removes rancidity oil deposits. Corrosion inhibitors protect metal and frames. Green, light mint liquid.

1119

CRT SCREEN

(cleaner-protectant TRB 527)

CRT is a computer monitor cleaner with added features of an invisible protecting finish polish. It cleans quickly while the sealant finish reduces glare and smudging marks. Effective on television screens, video display terminals, scanners, etc. Semi-opaque aerosol spray.

ECOLO CLEANER

(aqueous citrus solvent)

A neutral pH aqueous solvent cleaner fabricated from all natural citrus peel oils, in a synthetic detergent base. It cleans and deodorizes in one application. With excellent wetting and penetration characteristics, it is effective on all types of hard surfaces. Highly effective dilution ratios. Green-yellow liquid, neutral, citrus odour.

ENRICHED FURNITURE POLISH

(aerosol TRB 593)

6593

1206

Cleans and polishes all types of wood and furniture finishes. Blended with purity oils and protectant waxes, it restores natural luster to furniture surfaces, while providing a protectant invisible high luster film polish. Aerosol.

PRO-CLEAN

(aerosol - cleaner & sanitizer TRB 613) 6613

Aerosol spray cleaner with a built in quaternary sanitizer. Cleans and deodorizes. Ideal for most hard surfaces, washrooms, food preparation areas, and general health care facilities. Light initial penetrating foaming action. Pleasantly fragranced.

GLASS CLEANER (TRB 596)

(foaming aerosol)

6596

A high purity glass cleaner, with foam enhancement activity. Quickly penetrates soiled glass, mirrors and other hard surfaces. Foam action spreads across wide areas and penetrates into cracks and crevices. Non streaking formula. Aerosol.

LIQUID DETERGENT *

(neutral - emulsifying TRL 61)

6061

A super concentrated neutral detergent with free rinsing features. Manufactured from natural coconut and palm kernel oils, will not strip or dull floor waxes or finishes. Highly effective in emulsifying oils from both food and petroleum sources. High aqueous dilution ratios. Soft enough to wash your hands. Viscous purple liquid, pleasantly mild fragrance.

FOAM CLEANER *

(multi-use aerosol TRB 509) 6:

6509

A superior foam cleaner that is effective on almost all hard surfaces. Penetrates, dirt, grease, oil, and grime quickly and effectively. Breaks away organic fouling and contaminants. Used everywhere in institutional, industrial and commercial operations, except for glass and mirror surfaces. Aerosol. Pleasantly institutionally fragranced.





COMPUTER CARE PACK

A mix of specialty aerosols designed specifically for computer maintenance solutions

Contains four different aerosols:

1x aerosol Anti-Static Treatment TRB 588
1x aerosol High Purity Contact Cleaner TRB 508
1x aerosol Air Duster Spray TRB 546
1x aerosol CRT Screen Treatment TRB 52

OFFICE MANAGER'S PACK

A housekeeping package consisting of four aerosols to tackle to most common problems found in the office areas of industry and commerce today:

QUIK

(industrial glass cleaner) 2523

Quik is a fast acting, industrial and commercial glass and mirror cleaner. With a "no streak" formulary, Quik rapidly cleans, leaving no residues. Non-ammoniated, water dilutable, high evaporative liquid, blue, neutral pH.

PINE SCRUB SOAP (TRL 41)

(neutral)

6041

A natural soap based pine oil cleaner, designed for multi-hard surface cleaning applications and for marble, terrazzo and waxed floor finishes. Based with water. Viscous liquid, semi-opaque, pine - coconut soap odour.

PINE DETERGENT (TRL 787) (heavy pine oil) 6787


Heavy duty natural pine oil based combined cleaner and deodorizer with a neutral pH factor. Excellent all purpose use product where the sanitizing and solvency characteristics of natural pine oils are desired. Amber liquid, natural aromatic pine odour.

D-SALT

(salt rinse)

1172

A neutral detergent designed to complex and sequester salt deposits arrising from salt and de-icing compounds. Aqueous liquid, non flammable, concentrated.



Contains four different aerosols:

1x Single Burst Tangerine Deodorizer (TRB 530)

1x Glass Cleaner - Foamy (TRB 596)

1x Pro-Clean Surface Cleaner (TRB 613)

1x Enriched Furniture Polish (TRB 593)

ULTRO

(super glass cleaner TRL 181) 6181

Ultro is a very highly concentrated glass and mirror cleaner, with no harmful abrasives or ammonia. It is designed for high volume users, in high traffic areas or high dirt loading geographies, who have the ability to properly dilute an industrial concentrate. Blue liquid, very high dilution rates.







TRO-BRITE (TRB 594)

(aerosol stainless steel)

6507

A stainless steel coating designed for repairs to damaged pocked, pitted and tarnished stainless steel. Stainless steel flakes in binding clear resin body. Aerosol spray.

BATTERY TERMINAL (TRB 527)

(protectant-aerosol)

6527

Aerosol spray treatment for battery terminal posts. Flexible coating that protects against corrosive battery chemicals, greases, oils and engine discharges. Fast drying spray

BELT DRESSING (TRB 507)

(aerosol belt treatment)

6507

A rosin based transmission and power drive belt treatment. Increase grip while reducing slip. Easy to apply and fast acting. Will not gum up or shellac. Aerosol spray.

DUST BOND *

(dust control treatment)

1241

Dust control and eliminator liquid for industrial factories, and institutional use. Based upon capillary attraction and adherence technology. Reduces re-sweeping for up to 8 to 10 days. Effective in paint booths as there is no silicones. Pink liquid, minty odour.

RUST COAT (TRB 569)

$(rust\,convertor)$

6569 /6669

A rust convertor treatment and coating for ferrous metals. Rust Terminator converts rusty and corroded metal into a passivated state, that resists re-rusting and corrosion. The treated surfaces may then be painted or coated. Available in aerosol as TRB 569 and in bulk as TRL 669.

STAPOL

(stainless steel polish)

2777

A unique one-step application that restores the natural brilliance to stainless steel surfaces. It safely cleans and seals the finish from corrosion and protects against smudging and staining. Extremely thin invisible film. Blue liquid, lemon oil type fragrance.

KLEERGUARDII

(silicone polish/cleaner)

261

A cleaner and protective sealant for glass and other hard surfaces, such as chrome, enameled and plastic. Used on windows, doors, counters, panels, aircraft windows and interior surfaces. Leaves transparent protective barrier that repels soils and allows treated surfaces to sty cleaner longer. White opaque liquid. Aircraft approved.

METAL PARTS PROTECTOR * (TRL137)

(corrosion control coating)

6137 / 653

Durable, long term corrosion protection coating. Effective against acids, alkalies, chlorides, salt spray, water, moisture and chemicls. Will not chip or peel. May be removed with high quality solvent degreaser. Interior or exterior use. Amber coloured, liquid bulk or handy aerosol spray.

NO SWEAT (TRB 547)

(aerosol anti-sweat coating)

6547

An anti-condensation coating treatment for piping. Reduces sweating of cold water pipes that casues rusting and staining. Applied directly to surfaces for difficult to reach areas. Aerosol spray.

OXIKLEEN *

(aerosol metal polish & tarnish remover) 2481

Safe, one step cleaner and polish for use on all metal surfaces. Soft foaming action makes cleaning and polishing easy. Contains a unique blend of corrosion inhibitors that leave metal surfaces tarnish resistant and restores original bright finish to most metals. Colourless, lemon fragrance aerosol.

TROCOAT CLEAR (TRL 37)

(protective coating)

6037

A clear, thin, semi-waxy like treatment used for short term corrosion protection of stored equipment, parts and machinery, and used as a release agent for snow plows, salt trucks wood chips and asphalt truck beds. Sprayable to -40 C. Will not freeze. Contains no kerosene or fuel oils. Light straw coloured liquid.

TRO-COAT 4 (TRB 637/ TRL 737)


(synthetic corrosion coating)

6637/6737

A new completely synthetic coating that protects against water, sludges, acids, alkalies, detergents, salt and salt spray and most environmental elements. Effective at low temperatures (< -40C), Tro-Coat 4 will not peel, chip or crack. Ideal as an undercoating, flashing coating, limb treatment etc. Black pliable finish. Easy to apply in aerosol format. Also availble in liquid bulk as TRL 737.







Kem manufactures many unique construction based cleaners, descalers, release agents and corrosion inhibitors for the engineering, industrial and renovation markets. This selection of specialty compounds are severely modified to include performance benefit characteristics. Increased penetration, surface activity enhancers, complexing agents, sequestrants corrosion inhibitors and film formersare utilized to target specific problems.

CONCENTRATED SAFETY ACID*

(multi-use)

6201

A safety acid for cleaning, de-scaling, de-liming, de-rusting and brightening. Can be used on stainless steel, aluminum, black iron, etc. Clear, odourless.

FOAMOX

(foaming grout cleaner) 1312

Cleans and restores coloured and soiled tile and grouting. Safely removes soap scum, mineral deposits, mildew, light rust, body fats and oils. Safe for use on chrome fixtures. Foam cleans substantially more area than sanitary detergents. Amber liquid, cherry odour.

K-829 *

(mortar tool renovator)

1409


A special chemical cleaner that removes cement lime and concrete from cement mixers, trnsit forms, shovels, machinery, bricks and masonry works. Dark red, pungent odour.

AQUAGUARD

(brick treatment)

1038

A breatheable silicone facial treatment for brick that has been cleaned by chemical treatment or by sand blasting. Clear, non staining protectant allows brick to breathe, while providing protection against environmental elements



KEMOX*

(acid cleaner)

1616

Concentrated construction cleaner - dissolves lime mortar scale, concrete and rust from most surfaces. Will not damage anodized aluminum or painted surfaces. Blue-green, aromatic odour.

KEM FORM

(form release)

1575

A non-aqueous form release liquid designed for wood, plastic and fibreglass forms. Used to release both standard concrete andd specialty patterned concrete mixes.

REDI-MIX DESCALER (TRL 481)

(fume suppressed /inhibited) 6481

A specialty concrete plant descaler for trucks and equipment. Fast and effectively dissolves heavy concrete build-ups. Excellent penetration and wetting abilities. Easy rinsing. Designed for Confederation Bridge. Light amber, low odour, low fumes.

RUSTLESS*

(rust remover & preparation) 263

Is a high quality rust remover and surface renovator that adequately prepares surfaces for refinishing while Penetrants and dispersants allow for protecting surfaces from further corrosion and rusting with vertical cling for faster removal. Non irritating and does not produce noxious fumes. Thixotropic, pink gel-like liquid, low odour.

SLICK

(release agent)

2700

A non stick release agent and corrosion inhibitor for use on truck beds, surfaces, snow plows, automatic shovels, asphalt machines, concrete equipment, etc. Slick may be used at sub-zero temperatures.





D-LIMO GEL

(thixotropic degreaser)

1143

A semi gel fluid degreaser manufactured from a blend of orange and pine oils. Alkaline fortified for use in heavy duty industrial applications. Added surfactant package enhances rinse ability and solubilities of impacted greases and oils. Thixotropic fluid, orange-ochre colour, pine, orange natural odour.

FINALLY ORANGE (TRL 21)

(orange degreaser/cleaner)

6021

A terpene based aqueous degreaser and cleaner. Very slight alkalinity with multiple surfactants for penetration and enhanced wetting characteristics. Excellent in floor scrubbing machineries. Gentle enough for use as a brushless vehicle wash system. Highly concentrated, orange liquid, light orange odour.

HERE'n NOW * (TRL99)

(non butyl)

6099

Non butyl, food area aqueous degreaser and deodorizer, with built in sanitizer. Safe for use on all metals and other hard surfaces. Highly active, water dilutable - hot or cold, hard or soft, Fluorescent green-yellow liquid, fresh clean odour.

REMOVE * (TRL 01)

(multi-purpose degreaser) 6001

The workhorse product. Mildly alkaline with high solvencies for grease, dirt, oil, grime, inks, organics, etc. Remove is a heavy duty concentrate that can be diluted with hot or cold, hard or soft water. Blue liquid, typical industrial odour.



(steam cleaner concentrate) 2791

For metals and painted surfaces, Steam All will not harm aluminum or stainless steel. The special no rinse formula is easy to use and free of harsh and dangerous fumes. With added non-clogging and rust inhibition

properties, it is widely used by auto, aircraft and food processing industries. Purple liquid, citrus odour.

SUPER QUAD II *

(machinery solvent)

2525

- Water Base

A unique water based solvent degreaser, with blended solvents designed specifically for machinery. Added corrosion inhibitors make it ideal for ferrous surfaces. Destroys soil binding adhesion and attacks molecular structure of films, deposits and gummy residues. Highly concentrated, yellow liquid, sweet odour.

SUPER TEK *

(alkaline degreaser)

2826

A super heavy duty potash based, water soluble degreasing solvent. Designed to renovate highly impacted surfaces, to emulsify and solubilize oils and greases, leaving a clean surface. Green liquid, cherry odour.

TROCLEAN * (TRL 401)

(alkaline foam degreaser) 6401

A high alkaline, non butyl, controlled foaming aqueous degreaser. Added cling characteristics are designed for extended reach areas. Quickly cuts through heavy accumulations of soiling. Effective on grease, oils, dirt, organics, bloods, food stuffs etc. Light blue liquid, mild odour.



The Kem line of disinfectants and sanitizers cover the majority of applications found in industrial, institutional, food processing, and health care establishments.



ALKACHLOR*

(chlorinated degreaser-sanitizer) 1081

A heavy duty alkaline, chlorinated degreaser is designed to cut through grease, grime, sludge, blood and organic matter, while delivering active chlorine molecules to the substrate surface. Highly concentrated, highly dilutable, superior cleansing properties.

KEMCHLOR*

(chlorinated cleaner-sanitizer) 1508 Kemchlor is a moderate alkaline cleaner and sanitizer. It is designed for less rigourous applications than its heavy duty degreasing counterpart (Alkachlor). Easy to use, highly concentrated and fast acting.

PEROXIDE 35

(peroxide) 2486

Peroxide 35 is an industrial strength 35% peroxide designed for high oxidation reactions in industrial food processing and environmental applications. Consult with your local Kem representative for availabilities.

BOTTLE WASH *

(wash and sanitizer)

1073

A high alkaline wash, cleanser and sanitizer designed specifically for the bottling and beverage industry.

GERMEX

(air sanitizer) 1347

A combined air disinfectant and hard surface sanitizer for use in fogging, atomizing washing and rinse wash systems. A blended disinfectant with lavender odour control properties.

HYPOCHLORITE*

(alkaline chlorine TRL 488)

6488

TRL 488 is an industrial strength chlorine liberating liquid formulary, designed for use in providing free residual chlorine, in make-up water, wash water, sanitizing systems and chlorination processes.

PEROXI-SAN *

(stabilized - enhanced)

2482

A fortified, enhanced and stabilized peroxide based cleaner. Odourless and colourless, it rapidly acts to penetrate surface fouling and soiling to deliver the peroxide molecule to the organic target.

QUATERNARY SANITIZER*

(concentrated quat TRL 31)

6031

Quaternary ammonium based sanitizer for post cleaning sanitizing, hand sanitizing, and general use scenarios. Broad spectrum scope. Deodorizes.







HOSPISEPTIC

(aerosol disinfectant)

Hospiseptic is an aerosol formulated air and hard surface disinfectant and sanitizer. Fast acting and easy to use.

DYNAKEM*

(cleaner & disinfectant) 1252 A combined hard surface cleaner and disinfectant designed for deep penetration into grimy, soiled and dirty surfaces. Highly concentrated and easily diluted with water. Pleasant fern fragrance.

LEMON ODOUR GERM.

(detergent & disinfectant) A powerfully built and economical disinfectant detergent utilizing the combined approach of quaternary strength with d'limonene penetration additives.

TRI-SAN *

(tri-built quat system TRL 02) A unique quaternary disinfectant compound for disinfecting and cleaning of food premises and hospitals. Cleans, disinfects and deodorizes in one operation.

6002

EGG-O-SAN*

(egg wash sanitizer TRL 430) 6430 A specialty egg and tray washing and sanitizing processes. Rapidly penetrates exterior foulings. Heavy duty compound.

MUL-T-QUAT

(hospital disinfectant TRL 135) 6135

Designed for health care facilities, hospitals, aged homes day care facilities etc. A blended quaternary ammonium compound with penetrating surfactants.

MUL-T-PHENOL

(triple phenolic TRL 132) 6132

A heavy duty tri-phenolic based disinfectant with enhanced cleaning and detergency properties for hospital, health care, aged homes and many institutional facilities.




IODOPHOR DISINFECTANT

(halogen TRL 13)

A halogen liberating disinfectant and detergent. Designed for hospitals, health care, agricultural, food processors, industrial and institutions.





Kem's specialty maintenance products for electrical and electronic maitenance operations are designed to meet critical specifications and performance criteria.

LECTRASOL*

(electrical equipment solvent) 2350

Fast drying, non-flammable safety solvent, used to clean and degrease electrical motors, power tools, electronic equipment. No residue, non conductive.

KEMTRONIC *

(moisture displacer) 2238

A penetrating moisture displacer and rust preventative for mechanical, electrical and electronic equipment. Aerosol and bulk formulations.

ELECTRIC MOTOR CLNR

(safety solvent TRL 1226) 61226

A high di-electric organic safety solvent based on terpene oils. Fast acting and rapidly solubilizing greases, oils and sludges. No hazardous or chlorinated components.

NON CONDUCTIVE GREASE

(critical no-melt TRG 431) 6431

NLGI #2 synthetic, non conductive, non melting, grease designed for environments and operating conditions that cannot tolerate sparks, grounding or conductivity. Gives superior lubricity.

CONDUCTIVE GREASE

(critical no-melt TRG 372) 6372

Combines the properties of high conductivity, anti seize and superior lubrication into a NLGI #2 grease. Used in corrosive, wet, high temperature or external environments.

FLUROSOLV *

(aerosol) 1308

High purity, fast drying, electrical grade solvent cleaner. Non flammable, non explosive, fast drying. Safe on most platics and wire operatios.

HI PURITY *

(aerosol TRB 508)

508) 6508

A high purity contact cleaner designed for computers, contacts etc, Dries with out residue and non conductive.



DURAKEM MG 555

(motor bearing grease)

ise) 1205

MG 555 is a superior bearing grease for all kinds of electrical motors. Molydisulfide in a no-melt synthetic base provides tenacious boundary lubrication under the most stressful operating conditions. Water resistant, non flinging, non melting NLGI #2.

BLOW CLEAN

(aerosol TRB 532) 6532

An air duster in aerosol designed for moisture free precision dusting of dirt, lint, iron oxide, lint, paper, etc., from electrical and electronic equipment, parts, and devices.







The science of environmental remediation is an evolving industry with its foundations in chemistry microbiology, agriculture, engineering and geosciences. Groundwash is a unique and specific multi-disciplinary approach for in-situ remediation.

In-situ surfactant remediation is the injection of aqueous solutions into zones of contaminated soil and groundwater, followed by a gradient extraction. It has application in the remediation of a variety of organic and inorganic contaminants, including: petroleum hydrocarbons, PCB's, halogenated pesticides, dioxins/ furans, volatile organic compounds, corrosives and radionuclides. Ontario Ministry of the Environment Certificate of Approval, for in-situ contaminant remediation.

SURFACTANT*

(compound TRL 1130)

61130

Groundwash compound TRL 1130 is the workhorse of the surfactant flushing process of hydrocarbon contaminated sites. Based upon a non-toxic formulary of controlling hydrocarbon migration through the soil, this technology has received Ministry of Environment approval (NETE). An admixture of aqueous blended surfactants and co-solvents

CO-SOLVENT

(coumpound TRL 610)

6610


A fortified terpene oil based non-aqueous liquid. Designed for the stimulation and migration of hydrocarbons in soil remediation processes.

BIO-SURFACTANT

(compound TRL 890)

6890

Organic bio-surfactant that assists delivery of adjunct technologies to contaminated zones. It assists in the complexing of metallic contaminates while supporting and stimulating bioremediation. Organic aqueous liquid.



BIO-SURFACTANT

(compound TRL 1139)

61139

Organic transport surfactant designed to assist in delivery of adjunct remediation chemistries. Alters the properties fluid interfaces of hydrocarbons and groundwater, for surfactant enhanced auifer remediation (SEAR) Used in the vadose and saturated zones.

E.S. PEROXIDE

(oxygen liberator TRL 876)

6876

(A stabilized and enhanced peroxide technology. A delivery system product to aid in biodegradation of many pollutants and acts as an oxidizer, a micro-organism control agent, a corrosion inhibitor and as a secondary odour control agent.


TROZYME H

(bioremediators TRP 866)

6866

Industrially concentrated, fortified enzymatic digestor, with both anerobic/aerobic bacteria and associated enzymes, combined with a bio-surfactant nutrient package.





Kem's extensive line of floor care products includes floor strippers, cleaners, sealers and finishes. Fast acting floor strippers economically remove wax, polish, grease, and soil from tile an terrazzo floors. Surfaces deeply embeded with dirt are transformed into bright clean floors by virtue of professional strength of the Kem floor cleaners. To complete the line, Kem offers a line of durable, high gloss finishes that hold up under the most severe pedestrianan traffic.

KEMTERGE*

(non ammonaited stripper)

2224

A heavy duty chemical renovtor designed to remove wax, grease, polish, synthetic finishes, grime and soil from all types of composition flooring. Pink, aqueous, non ammoniated stripper.

PREP

(stripper/renovator)

Specifically developed to provide a simple rapid, one-step method of floor preparation, prior to applying a polish or finish. All composition tile or terrazzo floors coated with wax or modern synthetics can be renovated with PREP. Orange, aqueous ammoniated renovator.

H.G. CONCENTRATE *

1420

(synthetic detergent)

Is a free rinsing liquid, neutral, multi-purpose cleaner. It is used for cleaning and maintaining asphalt, rubber, cork, linoleum and such. It can also be used to clean painted walls or woodwork in all industrial, institutional and commercial buildings. Yellow, neutral.

KYLON*

(high gloss)

2322

2518

A durable high gloss floor finish, suitable for use on all floors. Extremely resistant to buffing, traffic detergents and will not yellow. Kylon provides the combination of superior gloss with flexibility allowing a variety of maintenance programs.

GLOW*

(ultra high gloss)

1378

A super gloss floor finish, designed for high end flooring where both durability, and workbility are required. Glow is used in all types of establishments where sunlight exposure damages regular finishes. Extremely resistant to black heel marks, combined with anti-slip, and water resistance.

FLOOR SHOW *

(dry brite)

1301

Is a protective floor finish that produces a fast, deep gloss without buffing. Extremely durable and low maintenance system. It is favoured by industrial and traffic commercial locations.

GLOW SPRAY*

(spray buff)

1379

A spray buff compound, designed for iterim repairs to damaged finishes, allowing for feathering and reconditioning of traffic worn areas to bring back gloss and depth.

TERRAZZO SEAL *

2840

A one-step sealer, dust proofer and binder for new or old terrazzo flooring. Easy to apply and fast drying, it penetrates into the terrazzo to give a protective, semi-gloss finish. Reduces water seepage, cracking, dusting and pitting.

ACSEAL

(acrylic sealer)

1029

An acrylic water based sealer designed to pre-seal all types of tile, linoleum, rubber, cork ans asphalt tile flooring. It deeply penetrates and seals, allowing for subsequent application of high end floor finishes. Easy to apply.



Kem has a selection of versatile, quality products designed for industrial floor care applications. From absorbency to heavy duty degreasing to protective coatings, these solutions satisfy most applications.

KLEENSWEEP*

(dust sweep compound) 2260

Is a heavy duty, oil based sweeping compound for use on concrete and steel floors. It absorbs dust and removes metal particles and shavings. Green, pine compound.



(oil absorbent) 2405

An oil-only asborbent designed to pick up hydrocarbon spills. Specially treated matter has affinity for hydrocarbons and an adversion to water. Dramatically reduces clean up times and procedures. Non leaching.



(anti-slip) 2703

An anti slip treatment for used on glazed tile floors to to produce an safer, non hydroplaning surface. Easy to apply, fast acting, quick results.

URETHANE

(flex TRL 73) 6073

A high solids urethane can be used on both wood and concrete surfaces. Special flex characteristics make it ideal for variable temperature flooring. Accelerated drying times.

PFC

(powder floor cleaner) 2490

Super concentrated, can be used as-is on a wet floor or pre-mixed with water to form a powerful detergent. Removed deeply embedded dirt, grease and grime.



CONCRETE SEAL

(**sealant TRL 71**) 6071

A high solids solvent based, clear sealant designed to provide protective coverage of concrete from water seepage, dusting, cracking and peeling.

DEEP SEAL

(concrete treatment TRL 671) 6671

A penetrating concrete surface re-treatment to repair damaged, pitted, corroded and worn areas. Re-hardens surface layers to provide a long lasting smooth surfacing resistance.

TROMATIC

(scrubber detergent) 6661

A highly concentrated, low foaming, neutral detergent used in automatic scrubbing machines. Free rinsing characteristic, nil odour, will not damage flooring.

PLUG'n PATCH*

(concrete patch)

2501

An extremely high strength patching compound, sets in minutes. Non chipping, non dusting, low porosity.





Kem is a licensed pesticide manufacturer, distributor and vendor. Product selections and availabilities vary in accordance with provincial and federal regulations.

Consult with your local Kem sales representative for details on products, their availabilities and selections, in your region.

Below, we have listed a few of the more common and lower toxicity insecticides, available to the customers at large.

CONTACT INSECT SPRAY II

(aerosol)

1460

This aerosol format, is an easy to use, contact spray for most crawling and flying insects. Based upon a low toxicity pyrethin formula, it is fast and effective.

KEM KILL B

(bulk spray)

This combined residual and contact spray delivers a double control. Killing on contact, as well as providing a residual kill control. KEM KILL B is formulated from low odour carriers with an odour control agent to provide a fresh, pleasant after fragrance. It can be applied with a sure shot sprayer or with conventional application tools.

QUICKIDE

(contact bulk & aerosol)

QUICKCIDE is a contact insecticide with low toxicities to warm blooded animals. Formulated for use in food processing and handling establishments, it is ideal for many pest control scenarios. A vanilla odour control with an oourless carrier, make this ideal where staff and patrons do not want the lingering odour of insecticide treatments.

RESIDUAL CRAWLING SPRAY

(aerosol residual)

1461

A residual treatment approach to insecticide control. This handy aerosol is easy to apply in all applicable corners, cracks and crevices, where pests may reside.

WASP & HORNET SPRAY


(high pressurized)

1462

This highly pressureized aerosol is designed for both contact and residual kill from a safe distance away. Excellent for roads and field operations as well as for warehouse and industrial applications.







The protection of open and enclosed gears is of paramount concern in industrial processing applications. When these expensive parts are subject to demanding conditions and heavy contamination by surrounding environmental factors, accelerated wear and tear begins. The **Trojan** specialty gear lubricants are designed for these types of conditions, from sub zero climatics to the highest temperatures, from light to heavy loads, from the purity of food processing to the most most contaminated chemical conditions.

PURITY GEAR OILS

(non toxic TRL 310-316)

6310-6316

Clear, colourless, odourless, non toxic gear oils E.P., anti-wear and anti-corrosion fortified. For sanitary, purity and environmental applications. High viscosity indicies. ISO viscosities of 100 to 680 available. High timken load.

ARCTIC GEAR OIL

(multi-grade TRL 151)

6151

An extreme low temperature multi-grade gear oil designed for equipment operating under fluctuating or continuosly low temperatures. Formulated with an exclusive additive package. High viscosity indicies. High timken load.

HIGH PERFORMANCE GEAR OILS

(single grades TRL 223-239)

6223-6239

6354

Narrow range gear oils from viscosities of ISO 100 to ISO 1500. Semi-synthetic base fluids with E.P., anti wear, and corrosion additive packages. Fortified with molydisulfide for added performance. High viscosity indicies, high timken loads.

OPEN GEAR LUBE

(black synthetic TRG 354)

A non-melt synthetic open gear grease. NLGI #3 with synthetic tackifiers. Extremely tenacious and water resistant, chemical resistant, steam resistant.

OPEN GEAR LUBE

(pink synthetic TRG 487) 6487

A non-melt synthetic open gear grease NLGI #2 with synthetic tackifiers. Extremely tenacious and water

INDUSTRIAL MULTI-GRADES

(high performance TRL 154-159) 6154-6159

Multi-grade semi-synthetic gear oils with viscosities of SAE 75/90, 80/90, 85/140. E.P., anti-wear and anti-corrosion additive packages. Series available with or without moly-disulfide. High viscosity indicies. High timken load.

250 GEAR OIL

(high weight TRL 250)

6250

A SAE 250 high weight gear box lube designed for thermal stability and advanced retention technology. Extreme pressure additives fortified with extra molydisulfide. Used by heavy duty equipment operations under demanding loads. High viscosity indicies. High timken load.



OPEN GEAR LUBE

(aerosol TRB 517)

6517

A tenuous and adhering film forming gear lubricant in aerosol format. Designed for small applications and difficult to reach equipment.

OPEN GEAR GREASE

(00 TRG 356)

6356

An extra light high/low temperature EP gear grease for Radigan open gears.



<< Index

High performance and critical application greases are designed for all operating conditions that cannot be handled by conventional greases. Extreme temperatures, high and low, extreme pressures, exceedingly corrosive environments, water resistance, or sanitary and purity type conditions, are the parameters addressed by the **Trojan** specialty greases.

CLEAR FOOD GRADE GREASE

(NLGI 0,1,2)

1200-

Clear, colourless, odourless, non-staining grease formulated from purity white base oils, fortified with extreme pressure additives and anti-corrosion agents make these unique greases ideal for both high and sub zero temperature applications. Full bodied with a slight fibrous tack. See TRG 482, 484

CLEAR GREASE AEROSOL

(high / low temperature)

656

A teflon fortified, clear grease in aerosol format, for smaller applications than cartridge greases. TRB 568

RED HOT

(NLGI 1.5)

6565

Aluminum complexed, extreme pressure grease with extra tackifier, non fling characteristics. Resistant to water washout and temperature fluctuations. TRG 365

DURAKEM MG 555

(1-2-3)

1205

MG 555 is a specialty moly-bentone no-melt formulated grease that handles pressures to 500,000 psi and ultra high temperatures to 800 F. Extremely resistant to water and chemically corrosive environments.

BLUE SYNTHETIC

(NLGI2

6353

This synthetic grease exhibits a long fibrous tack to compliment the non-melt base. Extreme pressure and anti-wear and anti-corrosion additives provide this lube with multi application scope. TRG 353.

BRICK GREASE

(lithium block TRG 386)

6386

A high temperature NLGI # 6, block shaped grease used in older journal bearing lubrication.

WHITE FOOD GRADE GREASE

(NLGI 1,2)

Aluminum complexed, high temperature, extra bodied anti-corrosive, extreme pressure greases are designed for sanitary and food processing applications. With exceptional anti-washout characteristics, these greases are performance oriented in sanitary operations. See TRG 409, 410

WHITE GREASE AEROSOL

(high / low temperature)

6510

A white grease in aerosol format, designed for smaller applications than cartridge greases. See TRB 510.

RED HOT AEROSOL

(high low temperature)

6525

Red hot grease in aerosol format. Sets up quickly. Small applications are easily handled with this variable temperature lubricating grease. See TRB 525

POLY-MOLY

(shock loader)

6453-6451

Molybdenum disulfide with cushioning polymers make this grease ideal for shock loading ball, sleeve and roller bearings. Available in NLGI 1,2 &3 as TRG #'s 451, 452, 453.

NO SEIZE

(2000 F)

6090

A critical performance grease, designed for anti-galling, anti-pitting, anti-seizing applications where corrosive environments cause all other greases to fail. Extreme durability and reliability. TRG 90


NO SEIZE AEROSOL

(aerosol)

6590

Aerosol version of TRG 90, above.





The **Trojan** labeled hydraulic, compressor and air line oils are designed for the ever demanding conditions found in agricultural, environmental industrial, food, marine and resource industries.

These specialty lubes are manufactured as critical industrial grades or as purity grades.

PURITY OILS


These non toxic white oils are clear, colourless and odourless. Fortified with extreme pressure additives, corrosion inhibitors, demulsifiers and defoamers, they exhibit extremely high boiling points, ultra low freeze points and high viscosity indices.

FOOD GRADE HYDRAULICS *

These CFIA approved lubes are available in ISO weights of 32, 46 and 68. They feature high viscosity indicies with all the attributes of the purity oils. Request literature on TRL #'s 302, 306 & 308. Also see multi-grade TRL 305.

FOOD GRADE AIR LINE OIL *

CFIA approved critical purity air line oil. Request the literature on TRL # 322



FOOD GRADE COMPRESSOR OIL *

CFIA approved critical purity compressor oil. Request literature on TRL # 320. Also see multi-grade TRL 321.

FOOD GRADE VACUUM PUMP OIL *

CFIA approved critical purity vacuum pump oil. Request the literature on TRL # 324.

ARCTIC HYDRAULIC OIL

Designed for the extremes of Canadian winters. This multigrade lubricant is effective to -50 Celcius. It is used in many outdoor resource as well as industrial applications. See TRL 125.

MULTI-GRADE HYDRAULIC OIL

Semi-synthetic, polymer fortified, SAE 10-40 weight oil, based upon highly refined mid continental oil. This product is used to reduce oil changes, cut down on inventories, while providing exceptional level of lubrication for most industrial applications. See tech sheet on TRL 127.

MULTI-GRADE COMPRESSOR OIL

A semi-synthetic, polymer fortified, SAE 10-50 weight oil, based upon highly refined mid continental oil. This multi-grade is used to reduce oil changes, cut down on inventories, while providing a exceptional level of lubrication for most industrial applications. See tech sheet on TRL 124.



Reduced lubricant consumption, increased enegergy efficiency, machine and equipment failure avoidance, reduction of frictional wear, are all targets of proper lubrication in industrial, institutional, agricultural and marine industries. **Trojan**'s selection of superior performance machinery lubricants arde designed to reduce lubrication related failures.

CHAIN & CABLE LUBE

(with molydisulfide)

Trucks, drive chains, hoists, cables, cranes, lift trucks, etc., all require a top quality moisture proof, penetrating lubricant that can withstand extreme pressures and aggressive environments. TRL 120.

MICRONIC GRAPHITE


(graphite liquid)

A heavy duty bulk lubricant with graphite-in-oil. Formulated with E.P. and anti-wear additives. TRL 195

CHAIN & CABLE

(aerosol)

The aerosol version of TRL 120 (bulk) above. TRB 520.



HIGH TEMP SYNTHETICS

(-30 to +1900 F)

A series of critical performance fluid sysnthetic lubricants formulated from various ISO viscosities. Each lubricant offers specific target applications, including zero redidues, graphite enhanced, metaalic anti-seize fortifications, variable ranges of temperatures. See literature on TRL 293, 295, 297, 299.

FOOD GRADE MACHINERY LUBES


(non toxic, fortified)

Clear, colourless, odourless, non staining and non toxic machinery lubricants with E.P. additives, anti-corrosion and anti-wear packages. Dripless available. TRL 147 / 149.

F.G. MACHINERY LUBE

(aerosol)

Clear, colourless, odourless fortified in aerosol. TRB 580.



M-G MACHINERY LUBES

(multi-grade)

A series of multi-grade, high performance lubricants for machinery and equipment. This series features SAE weights of 10-50. Formulated from highly refined mid-continental crude oil, with anti-wear agents, corrosion inhibitors, demulsifiers, extreme pressure additives. Molydisulfide and non drip controls are also available.

See TRL 282, 284, 285, 286.

<< index







Kem's industrial odour controls target the source of malodours. Various different deliverry systems are available, from Air Gel wall mount units, to Alternate Aerosols, to aerosols, liquids and granules.

AIR GEL SYSTEM

(air dispensing system) 1015

Patented dispensing system delivers controlled release of gelled odour controls. Fast installation and 30+ day operation from a D-cell battery.

K.S.A.

(odour granules) 2309

A granular odour absorbent and counteractant. Designed for sprinkle or shaker applications for urine, vomit, and

refuse containers. Fast acting, easy to apply from shakers.

KEMZOID

(alternate aerosol) 2245

A space spray molecular counteractant, highly concentrated sweet orange. Penetrating and long lasting. Eliminates all malodours. Alternate aerosol packaging yields over twice the volume of aerosols.



AIR GELS

(odour neutralizer)

1015CFLMPS

These organic gels slowly release malodour agents to surrounding areas. Natural counteractant Fragrances. Citrus, cherry, floral, mint, powder, spice and apple.

BELAIRE

(alternate aerosol)

1058

A glyol based liquid air spray. A natural aphro flower counteractant. Alternate aerosol packaging yields over twice the volume of aerosols.

GRANNY SMITH

(alternate aerosol)

1380

A glyol based liquid air spray. A natural green apple odour counteractant. Ideal for commercial and institution odours. Alternate aerosol packaging yields over twice the volume of conventional aerosols.

SINGLE BURST

(aerosol TRB 530)

6530

A tangerine extract based odour counteractant in aerosol format. A single short burst is usually all that is required to control malodours at source.

HI'n DRI

(aerosol)

1427

A dry spray odour neutralizer in aerosol. Safe to all surfaces, fabrics and textiles. Chemically neutralizes odours at source. Very pleasant clean linen fragrance.







ODORITE

(**liquid**) 2462

A concentrated blend of reodorizers and deodorizers for use as a space spray, as an odour killer in carpet shampoos and mopping solutions. Removes stubborn odours from cooking, urine, mildew, smoke and mold. Fresh cinnamatic spice.

DEOD-O-ADD

(glyol liquid TRL 176)

6176

A glycolized blend of concentrated odour counteractants for use as a space spray, carpet shampooing additve, mopping solution, etc. Highly concentrated, water dilutable. Excellent for industrial and commercial applications.

SAN-O-VAN

(garbage treatment)

2651

A five-way deodorizing, cleaner, degreaser, and insect repellent designed for garbage rooms, trucks compactors and waste areas. Very highly concentrated, disperses in water to form milky emulsion. Balanced chemically to clean and deodorize. Excellent for putrid waste odour control, especially where insects may be present.



TRO-BAN

(odour blanket TRL 107)

6107

A unique blanketing suppressent treatment for waste systems, porta-toilets, pits, shafts, piles, etc. Based upon citrus oil terpene technology, the blanketing portion holds down volatile odours. The terpene citrus portion ensures odours emitted through imperfect coverage are chemically reacted and neutralized. The blanketing technology floats on water making it ideal for liquid waste systems. Red colour coded for visual determination of coverage.



ODOUR CONTROL CONCENTRATE

(non toxic TRL 06)

6006

An agri-food odour control based on blended citrus oils. Controlled volatility. Designed for misting, fogging, dripping, spraying or mopping. Non toxic. May be used on rendered food product. Severely concentrated may be diluted with water for specific application requirements. Applications include waste treatment systems, dredging, landfills, food processing, agricultural operations, disposal plants and processes, and nvironmental remediation. Excellent solvency cuts through sludge, grease and oils.



ENVIROTAIN

(floating lift station cleaner)

1405

An orange oil based floating lift station cleaner and deodorizer. Rises and floats with water level to emulsify grease, oils and scum. Environmental orange oils neutralize malodours catalytically. Straw coloured liquid, orange lour.

HR 230 *

(industrial sewer solvent)

1448

A controlled, high energy municipal and industrial sewer solvent used to unclog and maintain sewer lines. Breaks through grease, scum, organic matter and even roots with time encapsulation formula. Non flammable, dark red powder.

LIQUIDATE

(liquid live bacteria)

2357

An organic waste digestor based on liquid live, non pathogenic bacteria, that digest grease and waste, while deodorizing. Specially formulated to deal with large amounts of waste. Milky, opaque liquid, pleasant odour.

MICROCELLERATE*

(spray dried bacteria)

2371

A highly concentrated organic waste digestor culture with a supporting accelerator micro-nutrient package, quickly establishes the natural biological process to liquify wastes. Tan coloured powder, cereal odour.

ODOURLESS BILGE * (TRL 145)

(bilge cleaner)

6145

A biodegradable bilge cleaner and deodorizer that readily dilutes and disperses into the bilge. Loosens and emulsifies scum, organics, sludge and waste. The deodorizing properties knock down foul odours and control recurring odours. Non flammable, flourescent yellow-green liquid, fresh odour

SKAVENGER I * II*

(grease trap opener - trap maintainer) 2686/2693

#I is a powerful fast acting solvent, twice as heavy as grease, dissolves - liquefies grease build ups where traps are clogged with a solid layer. #II is a trap and lift station treatment for regular or daily maintenance


Dissolves and scours grease from sink traps and drain while providing a grease liquefying the surface layer.

M.S.R. *

(mud and silt remover)

1399

A biodegradable polymer flocculant, designed to loosen and release mud and silt trapping water flow in systems, sewers, main lines, etc. Easily applied directly to trappages. Purple viscous liquid, mild odour.




ODOUR DEGREASER * (TRL 1106)

(grease & drain treatment) 61106

A potent, new environmental 5in1 compound used to maintain free flowing drain lines and grease traps, while controlling odours under severe conditions.

Molecular citrus formula effective on garbage areas, And as a heavy duty degreaser. Clear- straw colour liquid, volatile citrus tone, rinse-able, emulsifiable.



SAN-O-VAN *

(Receptacle renovator)

2651

A heavy duty garbage receptacle cleaner, degreaser and deodorizer. It quickly cuts through refuse, greases oils, fats and waste. Built-in malodour counteractants repel insects and rodents. Emulsifiable liquid solvent, mothball odour.

THERMAKEM*


(drain opener)

2847

A powerful, professional drain solvent designed to dissolve on contact all organic substances and rust, lime deposits in floor drains and sinks. Quickly clears drain stoppages. Pink liquid, slight odour.







Kem's maitenance shop supplies cater to the diverse needs of industry. Specialty cleaner, renovators, penetrants and other timely task oriented products assist maintenance operations.

COILEX*

(coil & filter cleaner)

Automatic rinse formula for air conditioner chiller coils and permanent filters. Cleans without leaving residues. No rinse feature saves labour. Removes rancid oils and filter odours.

KEM-A-LOOSE*

(aerosol penetrant) 1532

Anywhere that nuts, bolts, hinges can freeze or corrode and become difficult to work. A concentrated non flammable spray. Also available in bulk.

DRY TEFLON*

(**dry aerosol TRB 577**) 6577

Replaces graphite in applications where durability and cleanliness are required.

GALVANIZE

(aerosol retreat TRB 513) 6513

An instant cold zinc galvanizing spray for touch up and repairs of damaged galvanized surfaces.

FLO TABS

(a/c tablets) 1574

Condensate treatment in a time controlled dissolving tablet. Used in condensate pans to prevent sludge, rust and oter accumulations. Prevents cloging and overflows.

RECOIL*

(external condenser coil renovator) 2567

Cuts through grease and grime rapidly to restore peak cooling performance, maximizing efficiency levels of air conditioners. Extends life of condenser. Non flammable and safe on painted surfaces.

TRO-LUBE *

(aerosol 5-in-1 TRB 570) 6570

A penetrant, lubricant, moisture displacer, contact cleaner composite for multiple application jobs. Available in bulk as TRL 170.

DRY SILICONE *

(dry aerosol TRB 599)

6599


A high slip silicone release agent and lubricant. Avalaible in bulk as TRL 199.

BELT DRESSING

(aerosol TRB 507)

6507

An aerosol rosin treatment designed to increase grippage of belts. Non glazing, non dust attracting.



COIL BIOFOAM

(aerosol)

1114

An enzymatic aerosol coil and fin cleaner. Penetrates quickly and deeply into fins. Foam action assists in loosening particulate matter. Enzymatic activity reduces organic biofouling. Water flushable. Pleasant fragranced.





KEMSIL

(RTV silicone)

One component curing, adhesive and high temperature gasket cpd Cure when exposed to atmospheric moisture to a tough flexible water proof silicone. High and low temperature. Meets spec # _____

ASPHALT MAGIC

(bitumous compound) 1047

A semi-synthetic asphalt compound designed to provide instant relief to cracks and mastics.

KEM WIPES

(portable cleanser cloths) 2242

Orange, hand cleaner -degreaser cloths in self contained poly dispensers. Exceptional cleaning abilities arising from the high grade orange oils. Re-moisturizers and protectants for hands. Excellent for small jobs or carry-arounds.

COOL LH

(machine coolant) 1133

A aqueous, dilutable machine coolant fluid designed for metal working shops with recirculant systems. Superior lubrication increases tool life.

COOL LUBE

(aerosol TRB 541) 6541

Forms a cool lubricating barrier between lathe tools, drill bits, taps and metal surfaces. Used anywhere drilling, sawing or threading is performed.



YELLOW JACKET

(fibreglass re-inforcer)

A very durable re-inforcing fibreglass tape. Designed to "hold-in" mastics. Ideal for in-house repairs and renovations.


ACOUSTICAL TILE

(aerosol restorer)

1006

2907

Aerosol spray to restore the whiteness and brightness of all types of ceiling and acoustical tiles. Fast drying, easy to apply. Reduces replacement cost. Avoids labour of repainting.



DEGREASE-IT 3000

(degreaser)

1149

An aqueous degreaser, water dilutable in multiple proportions. Designed for solubilizing and dissolving grease, oils, cutting fluids, transmission fluids, and general dirt and grime, from floors, equipment, walls and machinery. Highly concentrated, quickly cuts through. May be sprayed, mopped or brushed on.



Tough clean-ups are a snap with **Kem**'s professional strength hand care products. Messy grease, oil and dirt are easily removed while soothing and healing ingredients help reduce skin irritation. The soap line includes cocount hand soaps for gentle cleaning to heavy duty waterless products that will remove the worst industrial grease and grime.

Hand washing in the health care and food service industries demand special thorough cleansing to disinfect to kill germs.



1588

APPLAUSE*

(pink lotion) 1028

Economical, ready-to-use hand soap. Lotionizing agents helps replace natural skin oils during washing. Leaves a pleasant lemon fragrance.

SOCKO

(orange grit) 2710

Moisturized with orange oils, Socko is effective, versatile yet gentle grit based skin cleanser. Cuts through the toughest grime, ink, grease and soils. Pleasantly orange.

WHC


(aerosol TRB 615) 6615

Highly rich lotion dispensed from an aerosol. Moisturizers and softeners ensure the most sensitive hands from irritation, while delivering effective waterless cleansing.

ENRICH

(coconut soft soap) 1274

Formulated from a coonut base with rich moisturizers and humectants that provide outstanding cleaning. Available in or health care areas. Available in bulk or in Press Pak pouches.



KEMANNO

(mechanic's soap)

Heavy duty mechanic's hand cleaner is extremely effective in grease, dir, ink and grime removal. It emulsifies, penetrates and conditions in one step.

WATERLESS

(gritless)

2896 Heavy duty hand cleanser for use with/ without water. Lanolinized to prevent chapping and cracking of skin. Pleasant fragrance.

SHIELD

(barrier creme)

2679 Hand protectant barrier creme in both aerosol or sealed pouches. Protects from harsh solvents, latex gloves, drying, and chapping.

E-2 FOOD SOAP

(anti-microbial coconut soap TRL 36)

Formulated from a rich coconut base with moisturizers and humectants with anti-bacterial agents for use in food areas, bulk or Press Pak sealed pouches.

BODY BATH

(deodorant shampoo)

A combined deodorant sampooin and soap for bath and

shower. Coconut base enriched with fragrances plus anti-irritants. pH controlled and biodegradable.

PRESS PAK SYSTEMS


(delivery system)

1071

6036

Unique soap pouches with integral patented dispensing valves. Non drip, non leak, non clog. Innovative dispensers with an open viewing window, press bar and easy backing / mounting.





S.S. DEGREASER

(safety solvent TRL 722) 6722

Highly effective, fast acting solvent degreaser for use on all types of equipment, machinery and vehicles. Will not harm paint.

P.P.C.

(plate solvent) 2482

A print plate cleaner designed to solubilize and remove solvent based inks and stains. Fast acting and easy to apply.

PARTSOLV

(parts cleaner) 2485

An industrial parts cleaner that can be used in both recirculating washers or in bath/dip operations.

SUPER CARBOFF

(carbon stripper) 2805

This is a di-phase emersion stripper and renovator for carbon deposits, burnt on greases and oils and other organics. Contains a floating corrosion inhibitor.

VANDAL VANISH

(aerosol) 2869

A graffitti removal compound in aerosol. Semi-gel formula for vertical cling. Blended solvents for multi marking removal. Industrial strength.

Kem manufactures a wide array of specialty solvents for both specific and broad spectrum applications. Listed below are a partial selection of these items. Users with specific requirements should contact their local Kem representative for additional information.

EMULSIT

(oil spill saturant)

1280

Emulsit is an emulsifying, water rinseable oil spill saturating agent. Rapidly reacts with all types of heavy and light hydrocarbon spills and staining.

NEUTRALINE

(low odour degreaser)

2406

A highly effective solvent based degreaser for all types of greases and oils. Effective on hard surfaces, machinery engines, equipment, etc.

S.S. DEGREASER

(aerosol TRB 553)

6553


Safety solvent degreaser with high pressure delivery. Aerosol formulation for handy applications.

RIP

(rinseable paint stripper)

2616


Industrial strength paint stripper. Contains emulsifiers for water rinsing. Highly active formulary. Effective on wood, metals, fibreglass etc.





olvents

Environmental application solvents are growing in popularity. **Kem** manufactures comprehensive environmental solvents for use across most industries.



CLEAN-UP*

(aerosol antivandalism TRB 501) 6501

This anti-vandalism spray is designed for use in the more controlled environments such as schools, health care, food establishments, where conventional industrial solvents present potential concerns.

BLANKET WASH

(print cleaner)


1068

A water based, citrus oil solvent cleaner designed to clean and remove inks from printing blankets. Meets VOC requirements.

TRO-SOLV D

(aerosol solvent TRB 565) 6565

Blended d'limonene / surfactant aerosol compound is designed for degreasing equipment, chains, machineries, etc. Fast penetration qualities. Quick solubilization.



GREASE & TAR S.S. *

(safety solvent TRL 1190)

61190

An orange oil safety solvent for the removal of heavy hydrocarbon deposits, such as tars, asphalts, fuel oils. Anti-smear agents combined with water rinseability.

ORGANIC SOLVENT*

(water extendable TRL 1176)

61176

A terpene blended product with enhanced detergency, and surfactancy. Can be diluted with water or with other solvents in accordance with particular require ments. Gives excellent water rinseability.

TRO-SOLV D

(bulk solvent TRL 1265)

61265

The liquid bulk version of the aerosol Tro-Solv D. Designed for larger application jobs. May be sprayed, brushed on, etc. Industrial strength.

DEOD-O-WET

(doedorizing solvent TRL 609) 6

6609

Blended solvents for degreasing and wetting of hard surfaces. Inherent deodorizing attributes. May be used as-is or blended with many conventional solvents.

LIQUID DE-ICER *

(deicing compound TRL 104)

6104

Fast acting liquid de-icer and preventative treatment for hard surfaces, switching gears, vehicles, etc. Effective to - 40 Celcius.





Kem's transportation products have been formulated to perform in many different applications. These products range from exterior clean ing and finish applications to heavy duty engine degreasing and tar removal. Kem's powerful emulsifiers quickly and effectively cut through heavy grease, oil deposits, asphalts without smearing or damaging paint finishes

AUTOSOL

(finish restorer) 1049

An effective aqueous solvent and restorer for oxidized paint, vinyl tops and interiors on new and used vehicles. Removes oxidized layers of old finishes.

TRUCK & CAR WASH

(concentrate TRL 29) 6029

Hand and automatic vehicle wash liquid. Deep penetrating surfactants loosen road soils with minimum agitation. Gives original gloss to most vehicle finishes.

ENGINE SHAMPOO

(engine degreaser TRL 23) 6023

Concentrated shampoo degreaser. Removes heavily impacted grease and oil deposits. Effective on parts, machinery, floors equipment, non irritating, water flushable.

TROTAR

(tar remover TRL 900) 6900

A tar and asphaltene remover formulated from orange oil terpenes. Extremely effective penetration and solubilization of deposits. Ideal for general clean up of machinery, tolls, floors and equipment. Unique anti-smear agent with water emulsification for a fast and effective cleaning technology.

ALUMINUM TRAILER BRIGHTENER

(cleaner- brightener TRL 79) 6079

Industrial transport aqueous compound, highly concentrated. Restores finish, cleans and brightens aluminum sides.

RUBBER LUBE

(tire mount cpd TRL 490) 6490

A specialty tire mounting liquid compound. Features adhesion additives and anti-corrosion inhibitors.

a high lustre liquid wax. Preserves and protects with a

WASH'n WAX

(high lustre TRL 30)

SUPER FOAM 340

(foaming shampoo) 2812

a tough armour shield. Highly concentrated.

Unique blend for car, bus and light truck cleaning. Foam power surpasses other methods of foam cleaning. Restores protective sheen to surfaces.


Liquid car and truck washing compound bolstered with

6030

BRAKLEEN

(aerosol) 1091

Easy to use aerosol brake maintenance cleaner. Dissolves brake fluid and grease on shoes, drums, discs and pads. Non flammable, eliminates squeals and dries quickly.



WHITE WALL

(tire cleaner) 2899

Black or white wall tire mark removal cleaner.

SILICONE TYRE

(dressing compound)

Detail quality silicone tire dressing. Features both high gloss with durability.

2681

6103

WINDSHIELD WASHER

(concentrate TRL 103)

Super concentrated washer anti-freeze solution. Requires let down with water on-site.



<< index

Transportation

Institutional and commercial facilities can pose many problems with malodours and germs that are often difficult to locate and eliminate. **Kem**'s line washroom cleaners and sundries target source conditions.

REN-O-GROUT*

(tile & grout renovator) 2588

Safe, non-fuming tile & grout renovator, that cleans, brightens and bleaches to restore original colour and finish. Penetrates deeply into surfaces to eliminate odours and lift out stains, dirt and grime. Safe on chrome and steel.




SHIP SHAPE

(pine oil lotion scrub TRL 96) 6096

easy rinsing, frsh natural deodorizing.

A non scratching lotion cleanser based on the natural solvency and sanitation of pine oils in a coconut oil lotion scrub. Excellent vertical cling



KEMSOL*

(germicidal acid bowl clnr)

1623

Hospital grade disinfectant bowl and urinal cleaner. Kemsol penetrates faster than ordinary bowl cleaners to attack stains scum and scale. Bowls are disinfected and deodorized with germicides that eliminate the causes of many helath hazards.

RIVAL*

(economical bowl clnr)

2623

Chemical renovator and disinfectant for bowls and urinals. Quickly removes stains from neglected utilities.

STAINLESS*

(3-in1 safety acid)

2750

A concentrated creamy lotion for safely cleaning bowls, sinks, urinals, basins, tubs etc. No corrosive fumes or muriatics. Safe on porcelain, chrome, enamel, etc. Used to dissolve rust and hard water scale. Deodorizes and re-odorizes.



(urinal fixture)

2664


A disposable urinal fixture with a highly compacted double sized enzymatic solid. Attacks insoluble mineral salts, uric acid salts, scale, rust and stains. Eliminates the breeding grounds of odours and freshens the air. Removes suspended soils and films.

BOWL BARS*

(bowl fixture)

1085

A rim fixture that hides under the toilet bowl rim and releases water activated cleaning and odour inhibiting agents. Each flush assists in deliming, descaling, deodorizing as well as fighting plumbers stone, rust metallic staining and urinay salts.







ALKALINITY CONTROL * (liquid KT 410) 7410

KT 410 is a liquid alkalinity booster and maintainer designed for plants that utilize liquid component treatments. Controls P, OH & M alkalinities.

ALKALINE SLUDGE CONTROL

(liquid RX150)

7007

A low alkaline sludge control agent. Designed for systems where partial alkalinity already exists.

ALAKLINE SLUDGE CONTROL

(liquid dispersant SB 427) 5427

An amide sludge conditioner and dispersant. Used in plants where separate feed is available.

ALKALINE SLUDGE CONTROL

(liquid SB 455)

5455

A high alkaline polymer-complexed industrial boiler for systems where persistent alkalinity is a problem.

SLUDGE CONTROL

(powder phosphate KT 220)

7220

A powdered phosphate additive for complexing hardness. Used where powders are desired.

SLUDGE CONTROL

(liquid polymer SB 419)

5419

A liquid polymer-phosphate complex with extra scale distorters and fluidizers for heavy loading systems and processing operations.

Kem's line of boiler water treatment is designed for industrial, commercial and food plant operations. Whether it is a combined multi-blend or single component treatments approach, the Kem Kemtreet label is the guarantee of quality and technology.

OXYGEN SCAVENGER*

(liquid - Scavox)

7008

Scavox is a liquid oxygen scavenger designed to protect steam boiler systems from corrosion and pitting.

OXYGEN SCAVENGER *

(powdered KT 280)

7280

KT 280 is a powdered oxygen scavenger, designed to protect steam systems from corrosion and pitting. It is used in plants that handle powdered treatments.

ALKALINITY CONTROL*

(**powdered KT 400**) 7400

KT 400 is a powdered alkalinity booster and maintainer for plants that use powdered component treatments. Controls P. OH & M alkalinities.

ALKLINE SLUDGE CONTROL

(**liquid SB 422**)

5422

A low alkaline polymer-complexed boiler sludge for systems where polymer complexed agents assist in heavy sludging.

ALKALINE SLUDGE CONTROL

(liquid SB 451)

5451

A moderate alkalinity, plymer-complexed industrial sludge agent where alkalinity requires boosting.

SLUDGE CONTROL

(liquid PSN)

7013

PSN is a polymer based sludge control with extra oxygen scavengers to combat on-going corrosion and pitting.

SLUDGE CONTROL

(liquid phosphate KT 347) 7347


A liquid phosphate complex for complexing hardness and fluidizing sludge.

SLUDGE CONTROL

(liquid polymer SB 452) 545

A high alkaline liquid polymer sludge conditioner with extra scale distorters for heavy loaded systems and processing operations.





RETURN LINE

(inhibitor KT 450, 456)

7450/7456

The KT 450 & KT 456 are amines designed for control of return line condesate corrosion in food processing establishments.

RETURN LINE

(inhibitor RT 775-777)

5775-5777

These amines are designed for industrial plants with both long and short run condensate lines. The RT 770 series are blended for large to small steam producing operations.

MULTI-BLEND

(soft water KT 50)

7050

A pre-blended composition of oxygen scavengers, alkalinity builders, sludge conditioners and organic polymers designed for food processing and small steam plants with softer water make-up.

MULTI-BLEND

(electric boilers Electrotreet) 700

An aqueos composition of scale inhibitors, corrosion inhibitors, scale retardants and sludge conditioners for use in electric heated steam boilers.

MULTI-BLEND

(complexed phosphates & aminesSB 629) 5629

A pre-blended composition with polymer-complexed phosphates, alkalinity boosters, oxygen scavengers sludge conditioners and scale inhibitors. Features an amine for return line corrosion control.

Steam boiler condensate return line treatments ensure non corrosive operation of steam systems and reduction of metal complexed foulings in the boilers. **Kem** manufactures a variety of condensate return line treatments for use in industrial and food processing plant operations.

Many smaller locations lack the facilities to mix individual chemicals to formulate treatments on site. For these plant operations, Kem offers a selection of multi-blended treatments.

RETURN LINE

(inhibitor RT 741-744)

5741-5744

These amines are designed for industrial plants where corrosion must be controlled over short run lines. The RT 740 series are blended for large to small steam production operations.

ON-LINE FOULING

(polymer On-Line B)

5808

A multi-polymer based on line treatment to soften and distort scale and associated metallic complexed depoits for fluid blowdown during operation.

MULTI-BLEND

(moderate hardness KT 100)

7100

A pre-blended composition of oxygen scavengers, alkalinity builders, sludge conditioners and organic polymers designed for food processing and small steam plants with moderate hardness make-up.

MULTI-BLEND

(amine fortified SB 610)

5610


An amine fortified pre-blend of alkalinity boosters oxygen scavengers, sludge conditioners and scale inhibitors for use in industrial steam plants.

MULTI-BLEND

(complexed phosphates SB 649) 564

A preblended composition with polymer-complexed phosphates, alkalinity boosters, oxygen scavengers, sludge conditioners and scale inhibitors. Non amine based.





Proper closed system treatments are crutial to HVAC and refridgerant systems. Multi metal components dictate treatment types and parameters. **Kem** offers a comprehensive variety of these treatments to suit modern engineering specifications.

CORROSION INHIBITOR

(HVAC KT 1500)

71500

A low solids liquid inhibitor, pH balanced, buffered and with admiralty inhibitors. Molybdare film forming. Designed for conventional or modern systems.

CORROSION INHIBITOR


(HVAC CSL 202)

A liquid nitrite/borate inhibitor, buffered pH balanced with admiralty inhibitors. Designed for conventional systems.

CORROSION INHIBITOR

(HVAC KT 240)

A liquid oxygen scavenging inhibitor blend fortified with buffers, scale retardants and pH control agents. For systems with oxygen attack.



CORROSION INHIBITOR

(HVAC CSL 250)

5250

A blended dual performance corrosion based on the syngergy of molybdate and nitrite. pH balance, buffered and admiralty inhibitors. Used for high corrosive systems.

CORROSION INHIBITOR

(HVAC CSP 200)

5200

A powdered nitrite/borate inhibitor, pH balanced, buffered with admiralty inhibitors. Designed for conventional systems.

CORROSION INHIBITOR

(HVAC Organique M)

5805

An organic based inhibitor, fortified with molybdate, pH buffers and admiralty type inhibitors. Used in high corrosive systems.

CORROSION INHIBITOR

(brine systems KT 720)


A brine refridgerant inhibitor based on the superior corrosion inhibition properties of chromate. Triple inhibitor package.

CORROSION INHIBITOR (pH control KT 410) 7410

A liquid control agent for balancing pH in brine systems.







Treatments for open recirculating cooling waters vary with system design, raw make-up waters, operating temperatures, microbiological and organic fouling conditions. The **Kem** selection open system treatments addresses these fouling conditions.

SCALE/ CORROSION INHIBITOR

(pH control KT 615)

Phosphonate based dual inhibitor for use in hard waters where pH must be controlled.

SCALE/ CORROSION INHIBITOR

(organic polymer Co-Poly 156)

Organic co-polymer blend of inhibitors with admiralty corrosion inhibitors, pH buffered and fortified with extra scale distortion polymers.

SCALE/ CORROSION INHIBITOR

(polymers HT 5701)

A high hardness, high temperature, threshold polymer polymer treatment. Designed for industrial process systems and severe or fluctuating high hardness waters.

MICROBIOCIDE

(biocide KT 825)

7825

A broad spectrum biocide based on quaternary ammoniums. A pH independent additive. May be slug fed or automatic injection controlled.

MICROBIOCIDE

(algaecide KT 860)

7860

A liquid chlorine liberating algaecide, designed for for algae prone tower systems.

DISPERSANT

(polyacrylate CT 126)

Dispersion control of loose scale, sequestered raw water mineral hardness, iron oxides, etc. May be fed independently via slug or automatic feed system or fed with existing scale/corrosion package.

SCALE/ CORROSION INHIBITOR

(organic-polymer KT 770)

Organic co-polymer designed for industrial, comercial and food processing plants.

SCALE/ CORROSION INHIBITOR

(organic polymer Co-Poly 133)

Organic co-polymer blend of inhibitors admiralty corrosion inhibitors, buffered, additional molybdate corrosion inhibitor.

MICROBIOCIDE

(slimecide KT 034)

7034

A liquid carbamate based slimecide. Excellent as an alternating microbiological control agent in system treatments featuring dual control parameters.

MICROBIOCIDE

(biocide KT 850)

7850

A broad spectrum based on poly quaternary ammoniums. A pH independent additive. May be slug fed or automatic injection controlled.

MICROBIOCIDE

(fungicide KT 890)


7890

A wide spectrum industrial fungicide, slimecide and algaecide combined. Designed for use in heavily loaded systems.

SCALE DISTORTOR

(polymer On-Line Plus)

An on-line descaling and cleaning compound that distorts the crystal lattice of scaled systems. May be fed independently or comined with or combined with existing scale/corrosion inhibitors.



Boilers, condensers, towers, chillers, heat exchangers, system pipings, all experience period fouling from scale, corrosion, rusting, pitting, electrolysis, and incomplete combustion. Kem's system cleaners and adjuncts are used to clean, descale, degrease, derust and flush out these energy absorbing deposits and create greater operating efficiiencies.

SOOT SWEEP

(fireside cleaner)

7009

Soot Sweep is a fireside cleaner and corrosion inhibitor, designed for the aiding in removal of fireside deposits created by incomplete combustion. Boilers treated with Soot Sweep reduce fuel costs and increase efficiencies.

FUEL ADD *

(treatment additive)

7004

A fuel treatment and supplement designed to reduce sludging, condensation, fouling and separation in all types of fuel oils. Increases fuel side firing efficiencies.

SYSTEM CLEANER

(detergent CSL 800)

5800

A fortified aqueous cleaning agent designed to loosen fouling, organics, rust, grease, oils etc, commonly found in closed recirculating heating and chilled water systems.

H.D. DESCALER

(industrial descaler KT 1100)

A heavy duty industrial aqueous descaling compound for the fast removal of heavy complexed deposits of boiler scale, condensate fouls and treatment precipitates found in industrial process boilers.

SAFETY DESCALER

(safety acid SX-11)

7010

An aqueous safety acid designed for chemical removal of scale and mineral deposits in potable water type heat exchangers, stainless steel vessels, etc. Colour coded to assist in visual determination of activity.

BOILER WASH*

(boil out KT 404)

7404

An alkaline boiler boil out and wash compound. Highly concentrated aqueous solution removes oils greases and mil scale.

COMMERCIAL DESCALER

(boiler descaler KT 900)

A fast acting aqueous descaling compound for the removal of hard water mineral deposits in all types of commercial boilers.

CONDENSER DESCALER

(industrial-commercial KT 910) 7910

Cleaning and descaling agent designed for the removal of mineral hardness, iron oxides, organics and treatment precipitates in condensers tubes, evaporator tubes, and heat exchangers.

TOWER DESCALER

(safety descaler Krust)

7003

A powdered safety acid descaling compound designed for chemical solubilization and removal of scale and mineral deposits in open cooling towers.

<< index

