



Trojan Specialty Lubricants



Industrial Lubrication Index

Greases High Performance .

Greases Specialty Use

Food Grade Grease

Food Grade Hydraulic Oils

Food Grade Gear Oils

Food Grade Machine Oils

Industrial Machine Oils

Industrial Gear Oils

Chain & Cable Lubes

Industrial Hydraulic Oils

Aerosol Lubricants



Industrial Greases


High Performance

Durakem MG555

Specialty no-melt “moly” synthetic grease NLGI #2. Extreme pressure, anti corrosion, high adhesion. (available in NLGI#1)

Packaging

tubes
bulk



TRG 366 Red Hot

High temperature NLGI #2 EP grease with excellent tack body and fibre. Adhesion and anti-fling. To 500+F (available in NLGI #1)

Packaging

tubes
bulk

TRG 353 Blue

Synthetic no-melt, tacky NLGI #2 EP grease. Bearings & open gears. Excellent adhesion & water resistance.

Packaging

tubes
bulk

TRG 428 HP Lithium

EP Lithium NLGI #2 bearing & chassis grease. Multi type operational lubricant -40 to 300+F

Packaging


tubes
bulk

TRG 453 Shock Load

Molydisulfide-lithium polymer EP grease NLGI #2. Highly extreme pressures and shock loading applications. Ball, sleeve & roller bearings. (Available in NLGI #1,0,00)

Packaging

tubes
bulk



 back



Industrial Greases

Specialty Use

TRG 90 No-Seize
Ultra high temp anti-seize
to 2100 F. Extreme pressure, bulk
protects against galling, seizing
rust, corrosion, pitting.
** Agriculture Canada*

Packaging
tubes



TRG 333 Neptune
Specialty marine grease designed
for exceptional water resistance.
NLGI # 1.5 extreme pressure with
brilliant black polymer.

Packaging
tubes
bulk

TRG 354 Black Synthetic
Open gear grease - synthetic non
melt, extreme tack & adhesion,
extreme pressure NLGI #3

Packaging
cartridges
bulk

TRG 386 Brick
Lithium brick grease NLGI 4
Specialty use product.

Packaging
blocks

TRG 431 Electro
Synthetic no-melt and non
conductive EP # 2 grease.
Critical safety applications.

Packaging
tubes
bulk



[◀ back](#)




Food Grade Greases

Approved Use

TRG 409 White #1FG
Aluminum complexed NLGI #1
high/low extreme pressure grease.
Central pumping systems, high
speed bearings, high purity.
** Agriculture Canada*

Packaging
tubes
bulk



TRG 410 White #2 FG
Aluminum complexed NLGI #2
high/low extreme pressure grease.
Excellent water resistance purity.
** Agriculture Canada*

Packaging
tubes
bulk

TRG 482 Clear Grease
Aluminum complexed NLGI #2
high/low extreme pressure grease.
Excellent water resistance purity.
(available in NLGI #1)
** Agriculture Canada*

Packaging
tubes
bulk

TRG 467 Pink
Synthetic no-melt clear pink
extra tacky NLGI #2 grease for
slower bearings & open gears.
Excellent adhesion & resistance.
** Agriculture Canada*

Packaging
tubes
bulk

TRG 484 Freezer
Clear calcium complexed
ultra low temperature -65
extreme pressure grease.
NLGI #2.
** Agriculture Canada*

Packaging
tubes
bulk



[◀ back](#)

Trojan Chemicals

4 Blair Drive, Brampton, Ontario L6T 2H5 800.263.2523

Innovative Chemical Technologies



Food Grade Hydraulics

Approved Use

TRL 302 FG HO
Purity white oil, ISO 32
oxidation, rust and EP
fortified. Non foaming.
** Agriculture Canada*

Packaging
jugs
pails
drums

TRL 306 FG HO
Purity white oil, ISO 46
oxidation, rust and EP
fortified. Non foaming.
** Agriculture Canada*

Packaging
jugs
pails
drums

TRL 308 FG HO
Purity white oil, ISO 68
oxidation, rust and EP
fortified. Non foaming.
** Agriculture Canada*


Packaging
jugs
pails
drums

TRL 320 FG ALO
Purity white oil, ISO 32-68
oxidation, rust and EP
fortified. Non foaming.
** Agriculture Canada*

Packaging
jugs
pails
drums

TRL 324 FG VPO
Purity white oil, ISO 32-68
oxidation, rust and EP
fortified. Non foaming.
** Agriculture Canada*

Packaging
jugs
pails
drums



[◀ back](#)



Food Grade Gear Oils

Approved Use

TRL 310 FG GO
Purity white oil, ISO 100
oxidation, rust and EP
fortified. Non foaming.
** Agriculture Canada*

Packaging

jugs
pails
drums

TRL 312 FG GO
Purity white oil, ISO 150
oxidation, rust and EP
fortified. Non foaming.
** Agriculture Canada*

Packaging

jugs
pails
drums

TRL 313 FG GO
Purity white oil, ISO 220
oxidation, rust and EP
fortified. Non foaming.
** Agriculture Canada*

Packaging

jugs
pails
drums

TRL 314 FG GO
Purity white oil, ISO 320
oxidation, rust and EP
fortified. Non foaming.
** Agriculture Canada*

Packaging

jugs
pails
drums

TRL 315 FG GO
Purity white oil, ISO 460
oxidation, rust and EP
fortified. Non foaming.
** Agriculture Canada*

Packaging

jugs
pails
drums



[◀ back](#)

Trojan Chemicals

4 Blair Drive, Brampton, Ontario L6T 2H5 800.263.2523

Innovative Chemical Technologies



Food Grade Machine Oils

Approved Use

TRL 147 FG MO

Purity white oil, ISO 68
oxidation, rust and EP
fortified. Non foaming.
(tacky non drip)

** Agriculture Canada*

Packaging

jugs
pails
drums

TRL 149 FG MO

Purity white oil, ISO 150
oxidation, rust and EP
fortified. Non foaming.
(non tacky)

** Agriculture Canada*

Packaging

jugs
pails
drums

TRB 580 FG MO

Purity white oil, aerosol
format. Oxidation, rust and
EP fortified. Non foaming.

** Agriculture Canada*

Packaging

aerosols
pails
drums



[◀ back](#)

Trojan Chemicals

4 Blair Drive, Brampton, Ontario L6T 2H5 800.263.2523

Innovative Chemical Technologies



Industrial Machine Oils

High Performance

TRL 284 MG MO

Multi-grade machine oil
Non drip (tack) format.
SAE types 20 to 50
-25 to 480 F range.

Packaging

jugs
pails
drums

TRL 285 MG MO

Multi-grade machine oil
(Non tack) format.
SAE types 20 to 50
-25 to 480 F range.

Packaging


jugs
pails
drums

TRB 286 MG MO

Multi-grade machine oil
Non drip (tack) format.
SAE types 20 to 50
-40 to 480 F range.
Molydisulfide fortified.

Packaging

jugs
pails
drums



[◀ back](#)

Trojan Chemicals

4 Blair Drive, Brampton, Ontario L6T 2H5 800.263.2523

Innovative Chemical Technologies



Industrial Gear Oils

High Performance

TRL 151 Arctic MG

Multi-grade EP gear oil
High viscosity index 166.
SAE types 75 to 90
-42 to 500+ F range.

Packaging

jugs
pails
drums

TRL 154 MG GO

Multi-grade EP gear oil
High viscosity index 95.
SAE types 85 to 140
Excellent adhesion (tack)
-15 to 500+ F range.

Packaging

jugs
pails
drums

TRL 155 MG GO

Multi-grade EP gear oil
High viscosity index 95.
SAE types 80 to 90
-15 to 500+ F range.

Packaging


jugs
pails
drums

TRL 159 MG GO

Multi-grade EP gear oil
High viscosity index 95.
SAE types 85 to 140
-15 to 500+ F range.
Molydisulfide fortified.

Packaging

jugs
pails
drums



[◀ back](#)



Chain & Cable Lubes

High Performance

TRL 120 with Moly
Chain & cable lube w~Moly
in a semi-grease base, in a
solvent penetrating carrier.
High & low temp.

Packaging

jugs
pails
drums

TRL 293 HT
High temperature, anti-wear
fluid - polymer fortified.
Thermal stability, anti-friction
extreme pressure.
to 500 + F range

Packaging

jugs
pails
drums

TRL 295 HT
High temperature, anti-wear
fluid - total synthetic.
Thermal stability, anti-friction
extreme pressure, ashless.
to 600 + F range

Packaging

jugs
pails
drums

TRL 297 HTG
High temperature, anti-wear
synthetic semi-fluid with graphite.
Thermal stability, anti-friction
extreme pressure, ashless.
to 1000 + F range

Packaging

jugs
pails
drums

TRL 290 UHT
Ultra high temperature, anti-wear
synthetic fluid with metallic anti
seize characteristics.
to 1900 + F range

Packaging

jugs
pails
drums



[◀ back](#)



Industrial Lubrication

Aerosol Packaging

- TRB 506** **Dry Moly Lube**
- TRB 510** **FG White Grease**
- TRB 517** **Open Gear Lube**
- TRB 520** **Chain & Cable Lube**
- TRB 525** **Red Hot Grease**
- TRB 541** **Cool Lube Cut & Tapping**
- TRB 555** **Safety Solvent Degreaser**
- TRB 568** **Synthetic Grease**
- TRB 569** **Tro-Solv D**
- TRB 570** **Trolube 5 in 1 Composite**
- TRB 577** **Dry Teflon Lube**
- TRB 580** **FG Machine Oil**
- TRB 589** **Black Graphite Lube**
- TRB 590** **Anti-Seize**
- TRB 599** **Silicone Dry Lube**



[◀ back](#)